



Choose the most accurate answer for each of the following multiple-choice questions.

1. Hypertension of 180/120 mmHg that is result in renal failure is classified as?

- a. Isolated systolic hypertension
- b. Hypertensive urgency
- c. Hypertensive emergency
- d. Malignant hypertension
- e. Secondary hypertension

2. Guideline-recommended diuretic for starting treatment of newly diagnosed hypertension is:

- a. Chlorthalidone
- b. Hydrochlorothiazide
- c. Furosemide
- d. Amiloride
- e. Spironolactone

3. Angiotensin-Converting Enzyme Inhibitors are contraindicated in patients with:

- a. Hypertension and ischemic heart disease
- b. Heart failure without hypertension
- c. Renal artery stenosis
- d. Diabetic nephropathy
- e. Post myocardial infarction

4. Which option is best to treat hypertension in a woman planning pregnancy?

- a. Continue lisinopril and add hydrochlorothiazide
- b. Discontinue lisinopril and all other medications
- c. Discontinue lisinopril and start labetalol
- d. Continue lisinopril and add atenolol
- e. Increase dose of lisinopril

5. Gingival hyperplasia is most likely caused by which antihypertensive?

- a. Atorvastatin
- b. Carvedilol
- c. Doxazosin
- d. Nifedipine
- e. Telmisartan